



Certificate of Analysis

1 of 4

Crème THC

6301 NW 153rd St
Edmond, OK 73013
sales@cremethc.com
(405) 613-7770
Lic. #FAAA-6YDP-XIVM

Sample: 2202SCL45.285

Strain: STAY PUFF
Batch#: L253; Batch Size: g
Sample Received: 02/14/2022; Report Created: 02/14/2022;

Sampling: ; Environment:

STAY PUFF

Concentrates & Extracts, Butter/Badder
Harvest Process Lot: METRC Batch: METRC
Sample:



Safety

Pass	Pass	Pass	NT
Pesticides	Micobials	Mycotoxins	Moisture
Pass	Pass	Pass	Not Tested
Solvents	Heavy Metals	Foreign Matter	Water Activity

Cannabinoids

Date tested: 02/10/2022

81.61%	ND	94.55%
Total THC	Total CBD	Total Cannabinoids

Analyte	UOQ	Mass	Mass
	%	%	mg/g
THCa	0.00	92.89	928.9
Δ9-THC	0.00	0.15	1.5
Δ8-THC	0.00	ND	ND
THCV	0.00	ND	ND
THGa	0.00	NR	NR
CBDa	0.00	ND	ND
CBD	0.00	ND	ND
CBDV	0.00	ND	ND
CBN	0.00	ND	ND
CBGa	0.00	1.52	15.2
CBG	0.00	ND	ND
CBC	0.00	ND	ND
Δ10-THC	0.00	NR	NR
Total THC		81.61	816.13
Total CBD		ND	ND
Total		94.55	945.54

■ CBGa ■ THCa ■ Δ9-THC



Scale Laboratories, 3680 E. 1 240 Service Rd.
Oklahoma City, OK
(405) 595-0344
<http://www.confidentcannabis.com>
Lic# LAANA-CBN14-202



Accreditation #112528

Russel Draffen
Russel Draffen
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Certificate of Analysis

Name: Natural Watermelon Pineapple Cloudburst**Matrix:** Terpene Blend**Lot #:** 016125**SKU #:** ABXTB0873**Date of Manufacture:** 03/31/2025**Overall Result:** Pass

Test	Method	Specification	Result
Appearance	Visual	Yellow to green clear liquid	Pass
Odor	Smell	Characteristic	Pass
Specific Gravity @ 25°C	USP 841	0.90-0.96	0.936
Water Activity	AOAC 978.12	<0.65	0.1878
Residual Solvent Analysis	USP 467	CA Action Level (ppm) *	Pass

*Solvents Tested: 1,2-Dichloroethane, Acetone, Acetonitrile, Benzene, Butane, Chloroform, Ethanol, Ethyl Acetate, Ethyl Ether, Ethylene Oxide, Heptane, Hexane, Isopropyl Alcohol, Methanol, Methylene Chloride, Pentane, Propane, Trichloroethylene, Toluene, M-xylene, O-xylene, P-xylene

DATA REVIEWED AND APPROVED
BY:

Tristhan Tran

Tristhan Tran

04/02/2025

QC Chemist

This Certificate of Analysis is accurate to the best of our knowledge. However, the customer is responsible for performing its own assessment to ensure that the material is suitable for its intended applications, including compliance with all pertinent legal requirements. The expected shelf life is calculated from the original manufacture date and is based on unopened containers stored under proper conditions. Once containers have been opened, maintaining minimal headspace and storing under appropriate conditions will aid in preserving the product's integrity.