



510 N Sheridan Road Suite D | Tulsa, OK 74115 | (918) 520-3441 | OMMA #: LAAA-0095-HXSF

# Report of Analysis

Report Status: Final

**Client Name:** New Heights Captial(zzbt)  
**Address:** 8404 N 159<sup>th</sup> St  
 Edmond, OK 73013  
**Phone:**  
**OMMA #:** AA-AYEI-  
**Collected:**  
**Harvest/ Production:** 12/10/25  
**Special Notes:**

**Lab ID:** -15934  
**Strain:** Banana Runtz  
**Matrix:** Flower  
**Sample Batch #:** 1A40E010000006A000002484  
**Sample Weight:** 10  
**Received:** 12/20/25



## Summary of Results

Potency Profile	
Cannabinoid	Weight %
CBDV	ND
CBDA	0.370
CBN	ND
CBD	ND
CBGA	2.01
CBG	0.207
THCV	ND
Δ9-THC	ND
Δ8-THC	ND
THCA	24.60
CBC	ND
<b>Total THC Delta-9(%)</b>	ND
<b>Total THC Delta-9(mg/g)</b>	ND
<b>Total Cannabinoids (%)</b>	23.09
<b>Total Cannabinoids (mg/g)</b>	230

Microbiological Profile	
All Results	Pass

Heavy Metals Screening	
All Results	Pass

Moisture Content		
All Results	10.05 %	Pass

Terpene Profile	
Terpene	Result %
α-Pinene	0.242
Camphene	0.343
Myrcene	0.267
a-Terpinene	< LOQ
β-pinene	0.0946
3-Carene	< LOQ
Ocimene	< LOQ
Delta-limonene	0.183
p-Cymene	< LOQ
Eucalyptol	< LOQ
γ-Terpinene	< LOQ
Terpinolene	< LOQ
Linalool	< LOQ
Isopulegol	< LOQ
Geraniol	< LOQ
β-Caryophyllene	0.438
Humulene	0.162
cis-Nerolidol	< LOQ
trans-Nerolidol	< LOQ
Nerolidol	< LOQ
Guaiol	< LOQ
Caryophyllene oxide	< LOQ
α-Bisabolol	< LOQ
<b>Total Terpene %</b>	3.38

Pesticide Screening	
All Results	Pass

Filtth and Foreign Materials Screening	
All Results	Pass

**NOTES:** mg/L = ppm, µg/L = ppb. "<" denotes "less than". ND is non-detectable quantity.  
 This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Transparent Testing. Results as reported relate only to samples as submitted, unless specifically noted otherwise. Statements of conformity are reported as simple acceptance and do not apply any measurement of uncertainty values. Measurement uncertainty is available upon request. **The Limit of Detection (LOD)** is the lowest limit at which the method can detect an analyte's presence as greater than zero. **The Limit of Quantitation (LOQ)** is the lowest limit at which the method is accurately able to quantify an analyte. The Threshold is the limit at which the Oklahoma Medical Marijuana Authority (OMMA) deems medical marijuana and marijuana-infused products as safe for use.



**PJLA**  
 Testing  
 Accreditation #115041  
 ISO/IEC 17025:2017 Accredited


# Terpenoid

Date Completed: 12/10/25

Instrument: HP 6890 (GC) - Agilent (FID)

Lab Tech: Marchel Crawford

Analyte	Result (mg/g)	Result (%)	LOD ( $\mu\text{g/mL}$ )	LOQ ( $\mu\text{g/mL}$ )
$\alpha$ -Pinene	0.802	0.0802	6.25	12.5
Camphene	0.521	0.0521	6.25	12.5
Myrcene	2.67	0.267	6.25	12.5
a-Terpinene	< LOQ	< LOQ	6.25	12.5
$\beta$ -pinene	0.946	0.0946	6.25	12.5
3-Carene	< LOQ	< LOQ	6.25	12.5
Ocimene	< LOQ	< LOQ	6.25	12.5
Delta-limonene	3.83	0.383	6.25	12.5
p-Cymene	< LOQ	< LOQ	6.25	12.5
Eucalyptol	< LOQ	< LOQ	6.25	12.5
$\gamma$ -Terpinene	< LOQ	< LOQ	6.25	12.5
Terpinolene	< LOQ	< LOQ	6.25	12.5
Linalool	< LOQ	< LOQ	6.25	12.5
Isopulegol	< LOQ	< LOQ	6.25	12.5
Geraniol	< LOQ	< LOQ	6.25	12.5
$\beta$ -Caryophyllene	4.88	0.488	6.25	12.5
Humulene	1.62	0.162	6.25	12.5
cis-Nerolidol	< LOQ	< LOQ	6.25	12.5
trans-Nerolidol	< LOQ	< LOQ	6.25	12.5
Nerolidol	< LOQ	< LOQ	6.25	12.5
Guaiol	< LOQ	< LOQ	6.25	12.5
Caryophyllene oxide	< LOQ	< LOQ	6.25	12.5
$\alpha$ -Bisabolol	< LOQ	< LOQ	6.25	12.5
<b>Total Terpenes:</b>	<b>22.8</b>	<b>3.68</b>		



**NOTES:** mg/L = ppm,  $\mu\text{g/L}$  = ppb. "<" denotes "less than". ND is non-detectable quantity. This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Transparent Testing. Results as reported relate only to samples as submitted, unless specifically noted otherwise. Statements of conformity are reported as simple acceptance and do not apply any measurement of uncertainty values. Measurement uncertainty is available upon request. **The Limit of Detection (LOD)** is the lowest limit at which the method can detect an analyte's presence as greater than zero. **The Limit of Quantitation (LOQ)** is the lowest limit at which the method is accurately able to quantify an analyte. The Threshold is the limit at which the Oklahoma Medical Marijuana Authority (OMMA) deems medical marijuana and marijuana-infused products as safe for use.



**PJLA**  
Testing  
Accreditation #115041  
ISO/IEC 17025:2017 Accredited

# Heavy Metals

**PASS****Date Completed:** 12/20/25**Instrument:** Perkin Elmer Elan DRC II (ICP-MS)**Lab Tech:** Jonathan Davis

Analyte	Result (ppm)	Threshold (ppm)	LOD (ppm)	LOQ (ppm)	Pass/Fail
Cadmium	ND	0.200	0.0500	0.100	Pass
Lead	ND	0.500	0.125	0.250	Pass
Arsenic	ND	0.200	0.0500	0.100	Pass
Mercury	ND	0.100	0.0250	0.0500	Pass

# Microbial Analysis

**PASS****Date Completed:****Instrument:** Agilent AriaMx (qPCR)**Lab Tech:** Lab Technician

Analyte	Result (CFU/g)	Threshold (CFU/g)	Pass/Fail
Escherichia Coli (E. Coli)	ND *	1.00	Pass
Yeast/Mold	ND *	10,000	Pass
Salmonella spp	ND *	1.00	Pass
Aspergillus Niger	ND *	1.00	Pass
Aspergillus Fumigatus	ND *	1.00	Pass
Aspergillus Terreus	ND *	1.00	Pass
Aspergillus Flavus	ND *	1.00	Pass

\*This test was performed by an outside third-party analytical laboratory. All third party laboratories used by Transparent Testing, LLC have ISO 17025 accreditation and OMMA laboratory license #LAAA-NYWH-5XOE.

# Pesticide Profile

**PASS****Date Completed:****Instrument:** Agilent 1200 (HPLC) - Agilent 6460 (QQQ)**Lab Tech:** Wes Owen

Analyte	Result (ppm)	LOQ (ppm)	Threshold (ppm)	Pass/Fail
Abamectin	ND	0.250	0.500	Pass
Azoxystrobin	ND	0.100	0.200	Pass
Bifenazate	ND	0.100	0.200	Pass
Etoxazole	ND	0.100	0.200	Pass
Imazalil	ND	0.100	0.200	Pass
Imidacloprid	ND	0.200	0.400	Pass
Malathion	ND	0.100	0.200	Pass
Myclobutanil	ND	0.100	0.200	Pass
Permethrin	ND	0.100	0.200	Pass
Spinosad	ND	0.100	0.200	Pass
Spiromesifen	ND	0.100	0.200	Pass
Spirotetramat	ND	0.100	0.200	Pass
Tebuconazole	ND	0.200	0.400	Pass

**NOTES:** mg/L = ppm, µg/L = ppb. "<" denotes "less than". ND is non-detectable quantity.

This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Transparent Testing. Results as reported relate only to samples as submitted, unless specifically noted otherwise. Statements of conformity are reported as simple acceptance and do not apply any measurement of uncertainty values. Measurement uncertainty is available upon request. **The Limit of Detection (LOD)** is the lowest limit at which the method can detect an analyte's presence as greater than zero. **The Limit of Quantitation (LOQ)** is the lowest limit at which the method is accurately able to quantify an analyte. The Threshold is the limit at which the Oklahoma Medical Marijuana Authority (OMMA) deems medical marijuana and marijuana-infused products as safe for use.



**PJLA**  
Testing  
Accreditation #115041  
ISO/IEC 17025:2017 Accredited

# Foreign Materials

**PASS****Date Completed:** 12/10/25**Instrument:** NA**Lab Tech:** Lab Technician

Analyte	Pass/Fail	Comments
Foreign Materials	Pass	N/A

# Water Activity

**PASS****Date Completed:****Instrument:** Rotronic HygroLab6 HC2-AW**Lab Tech:** Marchel Crawford

Analyte	Finding	Threshold	Pass/Fail
Water Activity	0.363	0.65	Pass

# Moisture Content

**PASS****Date Completed:** 12/10/25**Instrument:** NA**Lab Tech:** Olivia Webb

Analyte	Result (%)	Pass/Fail
Moisture Content	11.0	Pass



**Approved By:** Lab Director  
Transparent Testing, LLC

**NOTES:** mg/L = ppm, µg/L = ppb. "<" denotes "less than". ND is non-detectable quantity. This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Transparent Testing. Results as reported relate only to samples as submitted, unless specifically noted otherwise. Statements of conformity are reported as simple acceptance and do not apply any measurement of uncertainty values. Measurement uncertainty is available upon request. **The Limit of Detection (LOD)** is the lowest limit at which the method can detect an analyte's presence as greater than zero. **The Limit of Quantitation (LOQ)** is the lowest limit at which the method is accurately able to quantify an analyte. The Threshold is the limit at which the Oklahoma Medical Marijuana Authority (OMMA) deems medical marijuana and marijuana-infused products as safe for use.



**PJLA**  
Testing  
Accreditation #115041  
ISO/IEC 17025:2017 Accredited