



510 N Sheridan Road Suite D | Tulsa, OK 74115 | (918) 520-3441 | OMMA #: LAAA-0095-HXSF

Report of Analysis

Report Status: Final

Client Name: New Heights Captial (Processor) **Lab ID:** -15932
Address: 8404 NW 159th ST **Strain:** Pink Gumbo
 Edmond, OK 73013 **Matrix:** SHAKE
Phone: **Sample Batch #:** 40E010000006A00000248543
OMMA #: AA-AYEI-ZZBT **Sample Weight:** 10
Collected: **Received:** 12/20/2025
Harvest/ Production: 12/10/25
Special Notes:



Summary of Results

Potency Profile		Terpene Profile	
Cannabinoid	Weight %	Terpene	Result %
CBDV	ND	α-Pinene	0.0982
CBDA	< LOQ	Camphene	0.0615
CBN	ND	Myrcene	0.552
CBD	ND	a-Terpinene	< LOQ
CBGA	0.787	β-pinene	0.130
CBG	0.108	3-Carene	< LOQ
THCV	ND	Ocimene	< LOQ
Δ9-THC	ND	Delta-limonene	0.577
Δ8-THC	ND	p-Cymene	< LOQ
THCA	32.8	Eucalyptol	< LOQ
CBC	ND	γ-Terpinene	< LOQ
Total THC Delta-9(%)	ND	Terpinolene	< LOQ
Total THC Delta-9(mg/g)	ND	Linalool	0.0953
Total Cannabinoids (%)	35.3	Isopulegol	< LOQ
Total Cannabinoids (mg/g)	353	Geraniol	< LOQ
		β-Caryophyllene	0.815
		Humulene	0.344
		cis-Nerolidol	< LOQ
		trans-Nerolidol	< LOQ
		Nerolidol	< LOQ
		Guaiol	< LOQ
		Caryophyllene oxide	< LOQ
		α-Bisabolol	0.103
		Total Terpene %	2.96

Microbiological Profile	
All Results	Pass

Heavy Metals Screening	
All Results	Pass

Moisture Content		
All Results	11.53 %	Pass

Pesticide Screening	
All Results	Pass

Filth and Foreign Materials Screening	
All Results	Pass

NOTES: mg/L = ppm, µg/L = ppb. "<" denotes "less than". ND is non-detectable quantity.
 This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Transparent Testing. Results as reported relate only to samples as submitted, unless specifically noted otherwise. Statements of conformity are reported as simple acceptance and do not apply any measurement of uncertainty values. Measurement uncertainty is available upon request. **The Limit of Detection (LOD)** is the lowest limit at which the method can detect an analyte's presence as greater than zero. **The Limit of Quantitation (LOQ)** is the lowest limit at which the method is accurately able to quantify an analyte. The Threshold is the limit at which the Oklahoma Medical Marijuana Authority (OMMA) deems medical marijuana and marijuana-infused products as safe for use.



PJLA
 Testing
 Accreditation #115041
 ISO/IEC 17025:2017 Accredited


Terpenoid

Date Completed: 12/20/2025

Instrument: HP 6890 (GC) - Agilent (FID)

Lab Tech: Marchel Crawford

Analyte	Result (mg/g)	Result (%)	LOD ($\mu\text{g/mL}$)	LOQ ($\mu\text{g/mL}$)
α -Pinene	0.982	0.0982	6.25	12.5
Camphene	0.615	0.0615	6.25	12.5
Myrcene	5.52	0.552	6.25	12.5
a-Terpinene	< LOQ	< LOQ	6.25	12.5
β -pinene	1.30	0.130	6.25	12.5
3-Carene	< LOQ	< LOQ	6.25	12.5
Ocimene	< LOQ	< LOQ	6.25	12.5
Delta-limonene	5.77	0.577	6.25	12.5
p-Cymene	< LOQ	< LOQ	6.25	12.5
Eucalyptol	< LOQ	< LOQ	6.25	12.5
γ -Terpinene	< LOQ	< LOQ	6.25	12.5
Terpinolene	< LOQ	< LOQ	6.25	12.5
Linalool	0.953	0.0953	6.25	12.5
Isopulegol	< LOQ	< LOQ	6.25	12.5
Geraniol	< LOQ	< LOQ	6.25	12.5
β -Caryophyllene	8.15	0.815	6.25	12.5
Humulene	3.44	0.344	6.25	12.5
cis-Nerolidol	< LOQ	< LOQ	6.25	12.5
trans-Nerolidol	< LOQ	< LOQ	6.25	12.5
Nerolidol	< LOQ	< LOQ	6.25	12.5
Guaiol	< LOQ	< LOQ	6.25	12.5
Caryophyllene oxide	< LOQ	< LOQ	6.25	12.5
α -Bisabolol	1.03	0.103	6.25	12.5
Total Terpenes:	29.6	2.96		



NOTES: mg/L = ppm, $\mu\text{g/L}$ = ppb. "<" denotes "less than". ND is non-detectable quantity. This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Transparent Testing. Results as reported relate only to samples as submitted, unless specifically noted otherwise. Statements of conformity are reported as simple acceptance and do not apply any measurement of uncertainty values. Measurement uncertainty is available upon request. **The Limit of Detection (LOD)** is the lowest limit at which the method can detect an analyte's presence as greater than zero. **The Limit of Quantitation (LOQ)** is the lowest limit at which the method is accurately able to quantify an analyte. The Threshold is the limit at which the Oklahoma Medical Marijuana Authority (OMMA) deems medical marijuana and marijuana-infused products as safe for use.



PJLA
Testing
Accreditation #115041
ISO/IEC 17025:2017 Accredited

Heavy Metals

PASS**Date Completed:** 12/20/2025**Instrument:** Perkin Elmer Elan DRC II (ICP-MS)**Lab Tech:** Jonathan Davis

Analyte	Result (ppm)	Threshold (ppm)	LOD (ppm)	LOQ (ppm)	Pass/Fail
Cadmium	ND	0.200	0.0500	0.100	Pass
Lead	ND	0.500	0.125	0.250	Pass
Arsenic	ND	0.200	0.0500	0.100	Pass
Mercury	ND	0.100	0.0250	0.0500	Pass

Microbial Analysis

PASS**Date Completed:****Instrument:** Agilent AriaMx (qPCR)**Lab Tech:** Lab Technician

Analyte	Result (CFU/g)	Threshold (CFU/g)	Pass/Fail
Escherichia Coli (E. Coli)	ND *	1.00	Pass
Yeast/Mold	ND *	10,000	Pass
Salmonella spp	ND *	1.00	Pass
Aspergillus Niger	ND *	1.00	Pass
Aspergillus Fumigatus	ND *	1.00	Pass
Aspergillus Terreus	ND *	1.00	Pass
Aspergillus Flavus	ND *	1.00	Pass

*This test was performed by an outside third-party analytical laboratory. All third party laboratories used by Transparent Testing, LLC have ISO 17025 accreditation and OMMA laboratory license #LAAA-NYWH-5XOE.

Pesticide Profile

PASS**Date Completed:****Instrument:** Agilent 1200 (HPLC) - Agilent 6460 (QQQ)**Lab Tech:** Wes Owen

Analyte	Result (ppm)	LOQ (ppm)	Threshold (ppm)	Pass/Fail
Abamectin	ND	0.250	0.500	Pass
Azoxystrobin	ND	0.100	0.200	Pass
Bifenazate	ND	0.100	0.200	Pass
Etoxazole	ND	0.100	0.200	Pass
Imazalil	ND	0.100	0.200	Pass
Imidacloprid	ND	0.200	0.400	Pass
Malathion	ND	0.100	0.200	Pass
Myclobutanil	ND	0.100	0.200	Pass
Permethrin	ND	0.100	0.200	Pass
Spinosad	ND	0.100	0.200	Pass
Spiromesifen	ND	0.100	0.200	Pass
Spirotetramat	ND	0.100	0.200	Pass
Tebuconazole	ND	0.200	0.400	Pass

NOTES: mg/L = ppm, µg/L = ppb. "<" denotes "less than". ND is non-detectable quantity.

This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Transparent Testing. Results as reported relate only to samples as submitted, unless specifically noted otherwise. Statements of conformity are reported as simple acceptance and do not apply any measurement of uncertainty values. Measurement uncertainty is available upon request. **The Limit of Detection (LOD)** is the lowest limit at which the method can detect an analyte's presence as greater than zero. **The Limit of Quantitation (LOQ)** is the lowest limit at which the method is accurately able to quantify an analyte. The Threshold is the limit at which the Oklahoma Medical Marijuana Authority (OMMA) deems medical marijuana and marijuana-infused products as safe for use.



PJLA
Testing
Accreditation #115041
ISO/IEC 17025:2017 Accredited

Foreign Materials

PASS

Date Completed:

Instrument: NA

Lab Tech: Lab Technician

Analyte	Pass/Fail	Comments
Foreign Materials	Pass	N/A

Water Activity

PASS

Date Completed:

Instrument: Rotronic HygroLab6 HC2-AW

Lab Tech: Marchel Crawford

Analyte	Finding	Threshold	Pass/Fail
Water Activity	0.549	0.65	Pass

Moisture Content

PASS

Date Completed: 12/20/25

Instrument: NA

Lab Tech: Olivia Webb

Analyte	Result (%)	Pass/Fail
Moisture Content	11.5	Pass



Approved By: Lab Director
Transparent Testing, LLC

NOTES: mg/L = ppm, µg/L = ppb. "<" denotes "less than". ND is non-detectable quantity.
This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Transparent Testing. Results as reported relate only to samples as submitted, unless specifically noted otherwise. Statements of conformity are reported as simple acceptance and do not apply any measurement of uncertainty values. Measurement uncertainty is available upon request. **The Limit of Detection (LOD)** is the lowest limit at which the method can detect an analyte's presence as greater than zero. **The Limit of Quantitation (LOQ)** is the lowest limit at which the method is accurately able to quantify an analyte. The Threshold is the limit at which the Oklahoma Medical Marijuana Authority (OMMA) deems medical marijuana and marijuana-infused products as safe for use.



PJLA
Testing
Accreditation #115041
ISO/IEC 17025:2017 Accredited